

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:45
S2	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:49
S3	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and back adj light\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:50
S6	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and two adj characters adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:58
S7	2	(liquid adj crystal adj display or LCD) and two adj characters adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:10
S8	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and two adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:59
S9	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and individual\$6 and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:00
S10	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and (character and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:00
S11	1	(liquid adj crystal adj display or LCD) and two adj characters adj display and (character and light\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:01
S12	0	(liquid adj crystal adj display or LCD) and two adj characters adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:10

S13	9	(liquid adj crystal adj display or LCD) and characters adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:13
S14	3	(liquid adj crystal adj display or LCD) and characters adj backlight\$6 and individually	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:15
S15	356	(liquid adj crystal adj display or LCD) and characters and backlight\$6 and individually	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:15
S16	0	(liquid adj crystal adj display or LCD) and (characters adj individually and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:16
S17	356	(liquid adj crystal adj display or LCD) and (characters and individually and display\$6 and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:16
S18	104	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:17
S19	17	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6) and (rear and view and mirror)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:31
S20	12	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and display and character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 10:44
S21	12	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6) and (rear and view and mirror) and ambient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:48
S22	21	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:24

S23	2	"6,356,376".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:32
S24	2	"6,583,579".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:34
S25	2	"6,255,781".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:34
S26	0	"6,170,956".pn. and ambiemt and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 13:57
S27	0	"6,356,376".pn. and ambiemt and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 13:57
S28	0	"6,170,956".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:21
S29	1	"6,356,376".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:16
S30	1	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:20
S31	0	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6 and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:50
S32	0	"6,170,956".pn. and diffuser and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22

S33	1	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22
S34	0	"6,255,781".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22
S35	0	"6,300,879".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:59
S36	0	"6,583,579".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:45
S37	9	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:23
S38	2	"6463503".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:28
S39	2	"6170956".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:28
S40	1	"6170956".pn. and diffus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:36
S41	1	"6170956".pn. and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S42	0	"6,583,579".pn. and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:47

S43	1	"6,583,579".pn. and dim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S44	0	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6 and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:51
S45	1	"6,356,376".pn. and dim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:51
S46	2	"6,300,879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S47	1	"6,356,376".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:21
S48	0	"6,300,879".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S49	0	"6170956".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S50	0	"6,583,579".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:24
S51	1	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S52	7	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25

S53	2	"6,166,848".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:35
S54	2	"20050007645"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:44
S55	2	"20050007645" and viewer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00
S56	1	"20050007645" and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00
S57	1	"20050007645" and (backlight\$6 and driv\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:30
S58	0	"20050007645" and difus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:30
S59	1	"20050007645" and diffus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:31
S60	1	"20050007645" and diffus\$6 and angle and view\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:14
S61	1	"20050007645" and diffus\$6 and angle and view\$6 and light and rays	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:16
S62	1	"20050007645" and diffus\$6 and angle and view\$6 and light and rays and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:40

S63	1	"20050007645" and light and dim\$6 and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:42
S64	7251	display and (defective and drive and circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S65	1061	display and (defective and drive adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S66	9	display and (defective adj drive adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44
S67	1	display and (defective adj drive adj circuit) and bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S68	4	display and (defective adj drive adj circuit) and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44
S69	59142	information adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S70	403	information adj display and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S71	371	information adj display and diffuser and position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S72	369	information adj display and diffuser and position\$6 and between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00

S73	170	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:02
S74	62	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and (diffuser and redirect\$6 and light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:03
S75	57	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and (diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:04
S76	0	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6viewer and palnar and surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:04
S77	42	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6 and viewer and planar and surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:05
S78	7	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6 and viewer and planar adj surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:46
S79	1	"6829071" and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:59

S80	8	information adj display and (diffuser adj position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:47
S81	1	"20050007645" and light and dim\$6 and sensor\$1 and ambient and glare and contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:42
S82	88	rearview adj mirror adj assembly with information adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:09
S83	2	rearview adj mirror adj assembly with information adj display and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:43
S84	16	rearview adj mirror adj assembly with information adj display and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:43
S85	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:45
S86	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:45
S87	94	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:46
S88	29	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:46
S89	28	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 14:46

S90	49	rearview adj mirror adj assembly with information adj display and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:10
S91	17	rearview adj mirror adj assembly with information adj display and (LCD or liquid adj crystal adj display) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:16
S92	0	vehical adj information adj dispaly and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:20
S93	0	vehical adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:21
S94	8	vehicle adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 15:27
S95	3	vehicle adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1) and (two and characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:04
S96	3	vehicle adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1) and (two and characters and display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:04
S98	48	vehicle adj information adj display and rearview adj mirror and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:04
S99	8	vehicle adj information adj display and rearview adj mirror and (LCD or liquid adj crystal adj display) and (negative and mode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:05
S10 0	0	vehicle adj information adj two adj character\$1 adj display and rearview adj mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:06

S10 1	0	vehicle adj information adj two adj character\$1 adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:07
S10 2	0	vehicle adj information adj display and two adj character\$1 adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:08
S10 3	5	vehicle adj information adj display and character\$1 adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:10
S10 4	0	vehicle adj information adj display and character\$1 adj display and negative and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:10
S10 5	1	vehicle adj information adj display and character\$1 adj display and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:12
S10 6	281	rear adj view adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:12
S10 7	2	rear adj view adj display and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:13
S10 8	0	rearview adj mirror adj display and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:14
S10 9	26	rearview adj mirror adj display and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:29
S11 0	8	rearview adj mirror adj display and backlit and alphanumeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:17

S11 1	18	rearview adj mirror adj display and 362/494.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:18
S11 2	12	rearview adj mirror adj display and 362/494.ccls. and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:18
S11 3	1	rearview adj mirror adj display and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:22
S11 4	11	vehicle adj information adj display and rearview adj mirror and (LCD or liquid adj crystal adj display) and (two and characters and display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:27
S11 5	1	vehicle adj information adj display and rearview adj mirror and (LCD or liquid adj crystal adj display) and (two and characters and display and backlight\$6 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:27
S11 6	1	rearview adj mirror adj display and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:30
S11 7	16	rearview adj mirror adj display and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:56
S11 8	364507	LCD or liquid adj crystal adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:32
S11 9	364507	(LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:32
S12 0	131	(LCD or liquid adj crystal adj display) and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:46

S12 1	4	(LCD or liquid adj crystal adj display) and negative adj mode and rearview adj mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:33
S12 2	10	(LCD or liquid adj crystal adj display) and negative adj mode and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:56
S12 3	4	(LCD or liquid adj crystal adj display) and negative adj mode and vehicle and mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:56
S12 4	259519	rearview adj mirror adj display and (negative and mode) and LCD or liquid adj crystal adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:57
S12 5	15	rearview adj mirror adj display and (negative and mode) and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:59
S12 6	4	rearview adj mirror and (negative adj mode) and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:59
S12 7	3	vehicle adj information adj display and rearview adj mirror and (LCD or liquid adj crystal adj display) and (negative and mode\$1) and (two and characters and display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:35
S12 8	3	vehicle adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1) and (two and characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:35
S12 9	26	rearview adj mirror adj display and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:51
S13 0	3	vehicle adj information adj display and rearview adj mirror adj assembly and (LCD or liquid adj crystal adj display) and (negative and mode\$1) and (two and characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:39

S13 1	7	rearview adj mirror adj display and backlit and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:41
S13 2	26	rearview adj mirror adj display and backlit and control\$6 and individual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:52
S13 3	26	rearview adj mirror adj display and (backlit and control\$6 and individual\$6 and element\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 09:59
S13 4	1	"20020154379" and (backlit and control\$6 and individual\$6 and element\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 08:47
S13 5	1	"20020154379" and (backlit and control\$6 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:09
S13 6	0	"20020154379" and (backlit and control\$6 adj LED\$1 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 08:51
S13 7	0	"20020154379" and (backlit and control\$6 adj LED and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 08:51
S13 8	0	"20050007645" and (backlit and control\$6 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S13 9	0	"20050007645" and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S14 0	1	"20050007645" and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:58

S14 1	0	"20050007645" and (backlghit\$6 and control\$6 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S14 2	0	"20050007645" and (backlghit\$6 and control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:10
S14 3	2	"6291906".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:21
S14 4	0	"6291906".pn. and (backlit and control\$6 adj LED\$1 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:21
S14 5	0	"6291906".pn. and (backlight\$6 and control\$6 adj LED\$1 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:21
S14 6	0	"6291906".pn. and (backlight\$6 and control\$6 and individual\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:22
S14 7	0	"6291906".pn. and (backlight\$6 and control\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:22
S14 8	0	"6291906".pn. and (backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:49
S14 9	0	"20040032675" and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:51
S15 0	0	"20040032675" and negative\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:51

S15 1	1	"20040032675" and reverse\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:49
S15 2	2	"5,645,337".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:54
S15 3	0	"5,645,337".pn. and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:54
S15 4	1	"5,645,337".pn. and backlit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:54
S15 5	1	"5,645,337".pn. and backlit and individual\$6 and control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:56
S15 6	0	"5,645,337".pn. and backlit and individual\$6 and control\$6 and character\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:57
S15 7	0	"5,645,337".pn. and backlit and individual\$6 and control\$6 and alphanumeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:57
S15 8	1	"20050007645" and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:58
S15 9	0	"20050007256" and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:59
S16 0	7	rearview adj mirror adj display and (backlit and control\$6 and individual\$6 and element\$1) and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 09:59

S16 1	12	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and display and character and control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 10:44
S16 2	8	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and display and character and control\$6 and individual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 10:44
S16 3	1	"20040032675" and reverse\$6 and backlight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:49
S16 4	1	"20040032675" and reverse\$6 and backlight\$6 and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:50
S16 5	2	"5,645,337".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:15
S16 6	2	"20050007645"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:12
S16 7	2	"20040032675"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:16
S16 8	0	"20050007645" AND DIFFUSION ADJ PLATE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:12
S16 9	1	"20050007645" AND DIFFUSION And PLATE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:13
S17 0	1	"20050007645" AND DIFFUSION And PLATE and view\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:13

S17 1	1	"20050007645" AND DIFFUSION and view\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:14
S17 2	1	"20050007645" AND DIFFUSION and view\$6 AND ANGLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:14
S17 3	1	"20050007645" AND DIFFUSION and view\$6 Adj ANGLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:14
S17 4	4446	display and diffus\$6 and position\$6 and between and backlight\$6 and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:17
S17 5	743	display and diffus\$6 and position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:18
S17 6	19	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:18
S17 8	10	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display) and (view\$6 adj angle\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:19
S17 9	13	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display) and (view\$6 and angle\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:24
S18 0	8	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display) and (viewer and angle\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:40
S18 1	19	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:47

S18 2	9	display and diffus\$6 adj position\$6 adj between and backlight\$6 and (LCD or liquid adj crystal adj display) and viewer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:48
----------	---	--	---	----	----	------------------